



SECTION 1: Identification

1.1. Identification

Product form : Mixture
Trade name : TUFFDECK
Product code : GripCoat Side A

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Protective coating

1.3. Supplier

Supplier:

US Company Name

US Address

US telephone number

Manufacturer:
NaturaSeal Distribution Inc.
960 Edgeley Blvd. Unit #4
Vaughan, ON L4K 4V4 - Canada
1905 827 7221

1.4. Emergency telephone number

Emergency number : 1-855-797-SEAL (24hrs) (1-855-797-7325) Please provide an emergency number available to the US along with hours of operations.

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS-US classification

Skin irritation, Category 2 : Causes skin irritation
Eye irritation, Category 2A : Causes serious eye irritation
Skin sensitization, Category 1 : May cause an allergic skin reaction

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) : Warning

Hazard statements (GHS US) : Causes skin irritation.
Causes serious eye irritation
May cause an allergic skin reaction

Precautionary statements (GHS US) : Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
Wash skin thoroughly after handling.
Contaminated work clothing must not be allowed out of the workplace
Wear protective gloves/protective clothing/eye protection/face protection.
If on skin: Wash with plenty of soap and water
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If skin irritation or rash occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Take off contaminated clothing and wash before reuse.
Dispose of contents/ container to an approved waste disposal plant.

See Section 11 for more detailed information on health effects and symptoms.



SECTION 3: Composition/Information on ingredients

3.2. Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
bisphenol-A-(epichlorhydrin) epoxy resin	25068-38-6	>= 50 - <= 100 %
oxirane, mono[(C12-14-alkyloxy)methyl]derivatives	68609-97-2	>= 20 - < 25 %

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Move to fresh air. Consult a physician after significant exposure.
First-aid measures after skin contact	: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
First-aid measures after eye contact	: Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
First-aid measures after ingestion	: Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Obtain medical attention.

4.2. Most important symptoms and effects (acute and delayed)

Irritant effects, sensitizing effects, allergic reactions, excessive lachrymation, erythema, dermatitis
See Section 11 for more detailed information on health effects and symptoms.

4.3. Protection of first-aiders

Move out of dangerous area. Consult a physician. Show this material safety data sheet to the doctor in attendance.

4.3. Note to physicians

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: None known.

5.2. Specific extinguishing methods

Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

5.3. Special protective equipment and precautions for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Deny access to unprotected persons.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Local authorities should be advised if significant spillages cannot be contained.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling	: Do not breathe vapours or spray mist. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products.
-------------------------	--



7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with local regulations.

SECTION 8: Exposure controls/personal protection

8.1. Appropriate engineering controls

Engineering measures : Use of adequate ventilation should be sufficient to control worker exposure to airborne contaminants. If the use of this product generates dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.

8.2. Individual protection measures/Personal protective equipment

Respiratory protection:

An approved organic vapour respirator/supplied air or self-contained breathing apparatus must be used when vapour concentration exceeds applicable exposure limits

Hand protection:

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Eye protection:

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary.

Skin and body protection:

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Hygiene measures

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. Remove contaminated clothing and protective equipment before entering eating areas. Wash thoroughly after handling.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	: clear, straw-like
Colour	: characteristic
Odour	: no data available
Odour Threshold	: > 212 °F (> 100 °C)
Flash point	: not applicable
Ignition temperature	: no data available
Decomposition temperature	: no data available
Lower explosion limit (Vol%)	: no data available
Upper explosion limit (Vol%)	: no data available
Flammability (solid, gas)	: no data available
Oxidizing properties	: no data available
Autoignition temperature	: no data available
pH	: Note: not applicable
Melting point/range / Freezing point	: no data available
Boiling point/boiling range	: no data available
Vapour pressure	: no data available
Density	: ca.1.1 g/cm ³ at 73 °F (23 °C)
Water solubility	: Note: insoluble
Partition coefficient: n-octanol/water	: no data available
Viscosity, dynamic	: no data available
Viscosity, kinematic	: > 20.5 mm ² /s at 104 °F (40 °C)
Relative vapour density	: no data available
Evaporation rate	: no data available
Burning rate	: no data available
Volatile organic compounds (VOC) content	: < 5 g/l A+B Combined



SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

The product is chemically stable.

10.3. Possibility of hazardous reactions

Stable under recommended storage conditions.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

None known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : No data available
 Acute toxicity (dermal) : No data available
 Acute toxicity (inhalation) : No data available

bisphenol-A-(epichlorohydrin) epoxy resin :	
LD50 oral Rat	> 5000 mg/kg
LD50 dermal rabbit	> 20,000 mg/kg

Skin corrosion/irritation : Causes skin irritation.
 Serious eye damage/irritation : Causes serious eye irritation
 Respiratory or skin sensitization : May cause an allergic skin reaction
 Germ cell mutagenicity : No data available
 Carcinogenicity : No data available
 IARC : Not applicable
 NTP : Not applicable
 Reproductive Toxicity/Fertility : No data available
 Reproductive :
 Toxicity/Development/Teratogenicity : No data available
 STOT-single exposure : No data available
 STOT-repeated exposure : Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
 Aspiration toxicity : No data available

SECTION 12: Ecological information

12.1. Other information

Do not empty into drains; dispose of this material and its container in a safe way.
 Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
 May be harmful to the environment if released in large quantities.
 Water polluting material.

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste from residues : Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
 Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.



SECTION 14: Transport information

Department of Transportation (DOT)

Not regulated

IATA

UN number : 3082
Description of the goods : Environmentally hazardous substance, liquid, n.o.s. (bisphenol-A-(epichlorhydrin) epoxy resin)
Class : 9
Packing group : III
Labels : 9
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Packing instruction (passenger aircraft) : Y964

IMDG

UN number : 3082
Description of the goods : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (bispheno-A-epichlorhydrin) epoxy resin)
Class : 9
Packing group : III
Labels : 9
EmS Number 1 : F-A
EmS Number 2 : S-F
Marine pollutant : yes

IMDG: For Limited Quantity special provisions reference IMDG Code Chapter 3.4

SECTION 15: Regulatory information

15.1. US Federal regulations

TSCA list : All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA304 Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Acute Health Hazard
Chronic Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

Ozone-Depletion Potential : This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

California Prop 65 : This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

TUFFDECK

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations



SECTION 16: Other information

HMIS Classification

Health	Flammability	Physical Hazard	Personal Protection
2	1	0	x

Caution: HMIS® rating is based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® rating is not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® rating is to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). Please note HMIS® attempts to convey full health warning information to all employees.

Notes to Reader

The information contained in this Safety Data Sheet applies only to the actual NaturaSeal product identified and described herein. This information is not intended to address, nor does it address the use or application of the identified NaturaSeal product in combination with any other material, product or process. All of the information set forth herein is based on technical data regarding the identified product that NaturaSeal believes to be reliable as of the date hereof. Prior to each use of any NaturaSeal product, the user must always read and follow the warnings and instructions on the product's current Product Data Sheet, product label and Safety Data Sheet for each NaturaSeal product, which are available at web site and/or telephone number listed in Section 1 of this SDS.

NATURASEAL MAKES NO WARRANTIES EXPRESS OR IMPLIED AND ASSUMES NO LIABILITY ARISING FROM THIS INFORMATION OR ITS USE. SHALL NOT BE LIABLE UNDER ANY LEGAL THEORY FOR SPECIAL OR CONSEQUENTIAL DAMAGES AND SHALL NOT BE RESPONSIBLE FOR THE USE OF THIS PRODUCT IN A MANNER TO INFRINGE ON ANY PATENT OR ANY OTHER INTELLECTUAL PROPERTY RIGHTS HELD BY OTHERS.

Revision Date 06/12/2014



SECTION 1: Identification

1.1. Identification

Product form : Mixture
Trade name : TUFFDECK
Product code : GripCoat Side B

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Protective coating

1.3. Supplier

Supplier:

US Company Name

US Address

US telephone number

Manufacturer:
NaturaSeal Distribution Inc.
960 Edgeley Blvd. Unit #4
Vaughan, ON L4K 4V4 - Canada
1905 827 7221

1.4. Emergency telephone number

Emergency number : 1-855-797-SEAL (24hrs) (1-855-797-7325) Please provide an emergency number available to the US along with hours of operations.

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS-US classification

Acute toxicity, Category 4 (Oral) : Harmful if swallowed
Serious eye damage, Category 1 : Causes serious eye damage

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)



Signal word (GHS US) : Danger
Hazard statements (GHS US) : Harmful if swallowed
Causes serious eye damage

Precautionary statements (GHS US) : Wash skin thoroughly after handling.
Do not eat, drink or smoke when using this product.
Wear eye protection/ face protection.
IF SWALLOWED: Call a POISON CENTRE or doctor/ physician if you feel unwell.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTRE or doctor/ physician.
Rinse mouth.
Dispose of contents/ container to an approved waste disposal plant.

See Section 11 for more detailed information on health effects and symptoms.



SECTION 3: Composition/Information on ingredients

3.1. Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Mannich Base Adduct	Proprietary	>= 50 - <= 100 %

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Move to fresh air. Consult a physician after significant exposure.
First-aid measures after skin contact	: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
First-aid measures after eye contact	: Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
First-aid measures after ingestion	: Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects (acute and delayed)

No known significant effects or hazards.
Gastrointestinal discomfort
Excessive lachrymation
See Section 11 for more detailed information on health effects and symptoms.

4.3. Protection of first-aiders

Move out of dangerous area. Consult a physician. Show this material safety data sheet to the doctor in attendance.

4.3. Note to physicians

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
------------------------------	---

5.2. Specific extinguishing methods

Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

5.3. Special protective equipment and precautions for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Deny access to unprotected persons.

6.2. Environmental precautions

Try to prevent the material from entering drains or water courses. If the product contaminates rivers and lakes or drains inform respective authorities. Local authorities should be advised if significant spillages cannot be contained.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling	: Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products.
-------------------------	--



7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with local regulations.

SECTION 8: Exposure controls/personal protection

8.1. Appropriate engineering controls

Engineering measures : Use of adequate ventilation should be sufficient to control worker exposure to airborne contaminants. If the use of this product generates dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.

8.2. Individual protection measures/Personal protective equipment

Respiratory protection:

Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.

Hand protection:

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Eye protection:

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary.

Skin and body protection:

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Hygiene measures

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. Remove contaminated clothing and protective equipment before entering eating areas. Wash thoroughly after handling.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	: liquid
Colour	: off-white
Odour	: ammoniacal
Odour Threshold	: no data available
Flash point	: 225 °F (107 °C)
Ignition temperature	: no data available
Decomposition temperature	: no data available
Lower explosion limit (Vol%)	: no data available
Upper explosion limit (Vol%)	: no data available
Flammability (solid, gas)	: no data available
Oxidizing properties	: no data available
Autoignition temperature	: no data available
pH	: 11.20
Melting point/range / Freezing point	: no data available
Boiling point/boiling range	: no data available
Vapour pressure	: no data available
Density	: ca.1.1 g/cm ³ at 73 °F (23 °C)
Water solubility	: Note: insoluble
Partition coefficient: n-octanol/water	: no data available
Viscosity, dynamic	: no data available
Viscosity, kinematic	: > 20.5 mm ² /s at 104 °F (40 °C)
Relative vapour density	: no data available
Evaporation rate	: no data available
Burning rate	: no data available
Volatile organic compounds (VOC) content	: < 5 g/l A+B Combined



SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

The product is chemically stable.

10.3. Possibility of hazardous reactions

Stable under recommended storage conditions.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

None known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Harmful if swallowed.
Acute toxicity (dermal)	: No data available
Acute toxicity (inhalation)	: No data available
Skin corrosion/irritation	: No data available
Serious eye damage/irritation	: Causes serious eye damage
Respiratory or skin sensitization	: May cause an allergic skin reaction
Germ cell mutagenicity	: No data available
Carcinogenicity	: No data available
IARC	: Not applicable
NTP	: Not applicable
Reproductive Toxicity/Fertility	: No data available
Reproductive	
Toxicity/Development/Teratogenicity	: No data available
STOT-single exposure	: No data available
STOT-repeated exposure	: No data available
Aspiration toxicity	: No data available

SECTION 12: Ecological information

12.1. Other information

Do not empty into drains; dispose of this material and its container in a safe way.
Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste from residues	: Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

Department of Transportation (DOT)

Not dangerous goods

IATA

Not dangerous goods

IMDG

Not dangerous goods



SECTION 15: Regulatory information

15.1. US Federal regulations

TSCA list : All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA304 Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards

: Acute Health Hazard
Chronic Health Hazard

SARA 302

: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313

: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

Ozone-Depletion Potential

: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

California Prop 65

: This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

SECTION 16: Other information

HMIS Classification

Health	Flammability	Physical Hazard	Personal Protection
2	1	0	x

Caution: HMIS® rating is based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® rating is not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® rating is to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). Please note HMIS® attempts to convey full health warning information to all employees.

Notes to Reader

The information contained in this Safety Data Sheet applies only to the actual NaturaSeal product identified and described herein. This information is not intended to address, nor does it address the use or application of the identified NaturaSeal product in combination with any other material, product or process. All of the information set forth herein is based on technical data regarding the identified product that NaturaSeal believes to be reliable as of the date hereof. Prior to each use of any NaturaSeal product, the user must always read and follow the warnings and instructions on the product's current Product Data Sheet, product label and Safety Data Sheet for each NaturaSeal product, which are available at web site and/or telephone number listed in Section 1 of this SDS.

NATURASEAL MAKES NO WARRANTIES EXPRESS OR IMPLIED AND ASSUMES NO LIABILITY ARISING FROM THIS INFORMATION OR ITS USE. SHALL NOT BE LIABLE UNDER ANY LEGAL THEORY FOR SPECIAL OR CONSEQUENTIAL DAMAGES AND SHALL NOT BE RESPONSIBLE FOR THE USE OF THIS PRODUCT IN A MANNER TO INFRINGE ON ANY PATENT OR ANY OTHER INTELLECTUAL PROPERTY RIGHTS HELD BY OTHERS.

Revision Date 06/12/2014